

EDUCATION COMMITTEE.

ANNUAL REPORT

OF THE

School Medical Officer

FOR THE YEAR

1921.

COLCHESTER:

WILES & SON, TRINITY STREET.

1922.

INDEX.

	A	P	age	N	P	age
Alimentary System Attendance		•••	8 6	Nervous Diseases Nose and Throat Conditions		8 7
	С			О		
Children, Number Children, Number Clinics Closure of Schools	Inspected		6 7 13 13	Open Air Classes Other Defects and Diseases		
Clothing Co-ordination with County Cases	 Health Ser	 vices	11 5	Parents, Co-operation of Pediculosis Physical Training	• • •	9
	D			Prosecutions		10
Defects found Defects, Treatmen Deformities Dental Disease	 t of 	 8,	13 19	Ringworm		14
	E			S		
Ear Diseases Elementary Schoo Employment of Ch Eye Diseases	 ls ildren	 7,	6 26	Scabies School Attendance Officer Skin Diseases Special Cases Special Reports Speech Defects Spinal Curvature	7, 16,	25 14 7 20 17
Following-up Footgear		• • •		Staff Stammering Syphilis	• • •	17
	н			T		
Height Hospitals Hygiene of Schoo		•••	12 25 6	Tables I.—VI Teachers, Co-operation of Teeth Treatment Tuberculosis	27-	25 18 13
Impetigo				U		
Infectious Disease Inspection		8,		Uncleanliness		8
	L			\mathbf{v}		
Lungs	 M		8	Vision Voluntary Organisations		15 25
Meals, Provision of Minor Ailments			24 13	Weight		12

Medical Inspection Sub-Committee, 1921-22.

Ohairman:

ALDERMAN E. ALEC BLAXILL, J.P.

(Chairman of the Education Committee).

Deputy-Chairman:

THE REV. CANON G. T. BRUNWIN-HALES, M.A.

COUN. MRS. C. B. ALDERTON, J.P. MISS E. T. MARRIAGE.

- ,, Dame Catherine Hunt, D.B.E., J.P. Mrs. Triffit Ward.
- ,, PENRY ROWLAND, M.D. MRS. R. BENSUSAN-BUTT, M.D., B.S.
- " E. H. TURNER.

School Medical Officer and Medical Officer of Health: Walter F. Corfield, M.D., B.S., D.P.H.

Asst. School Medical Officer and Asst. Medical Officer of Health:
P. S. Blaker, M.R.C.P., M.R.C.S., D.P.H.

School Dental Surgeon:

T. Robinson, L.D.S.

Physical Training Organiser:

H. LAMONBY.

(Diploma, Central Institute, London; Member of the Ling Association).

School and Health Nurses:

MISS M. A. MACKENZIE.

MISS L. PEARSON, C.M.B.

, M. G. HUNTER, C.M.B.

A. W. SASSE.

Clerk to the Education Committee:

E. H. BULTITUDE.

HEALTH OFFICES,

TRINITY STREET,

20th March, 1922.

TO THE CHAIRMAN AND MEMBERS OF THE EDUCATION COMMITTEE OF THE BOROUGH OF COLCHESTER.

MR. CHAIRMAN, LADIES AND GENTLEMEN,

I have the honour of presenting to you the twelfth Annual Report upon the work of the School Medical Department.

The past year has been one of increased activity in medical inspection work. This has been particularly so in the work of the School Clinics. There appear to be two reasons for this: (1) the parents are more willing and anxious for their children to attend the Clinics, and (2) the children are more diligently "followed up." The result is well seen if two figures for 1914 are compared with similar figures for 1921:—

Number of individual children attending the	1914.	1921.
Medical Inspection Clinics	443	647
Number of Attendances made by these children	915	3,520
Average number of Attendances per child	2.0	5.4

Pediculosis Inspection at the Schools by the Nurses has proved a great success. The table on page 9 gives some idea of the large amount of this work being carried out.

The new offices of the Health Department in Trinity Street, next door to the Education Offices, are greatly appreciated. They have been particularly convenient for assisting the School Nurse with the clerical work that formerly fell upon her shoulders. The Clinics are now so much busier that it became very necessary to relieve her of some of this clerical work.

In conclusion I would draw your special attention to the six tables at the end of the Report. These tables are full of much information that is not referred to in the body of the Report, as, with a view to economy, only essentials have been mentioned, and that as briefly as possible.

I beg to thank you, ladies and gentlemen, for your continued sympathy, and for the interest you have taken in the work of the School Medical Service.

I am,

Your obedient servant,

W. F. CORFIELD,

Medical Officer of Health and School Medical Officer.

Report of the School Medical Officer for the Year 1921.

STAFF AND CO-ORDINATION WITH OTHER HEALTH SERVICES.

For some years past it has been generally agreed that the Public Health Department was poorly and even meanly housed, and endeavours were made to alter this state of things, but it was not until 1921 that an opportunity arose which it was generally agreed must not be missed. The house adjoining the Education Offices in Trinity Street was offered for sale. It was a most convenient house for the Health Department, and lent itself readily to adaption. A large room and passage have been thrown into one upon the ground floor, and this serves excellently as a Waiting Room for all the School Medical and Dental Clinics; the Maternity and Child Welfare Clinic is housed in the same building, and in short it is practically, if not actually, true that the whole of the Education Offices, Health Offices, Laboratory and Corporation Clinics are under one roof. The saving of time, correspondence and telephoning alone has made the change well worth while, and the whole work of the School Medical and Health Departments has greatly benefitted.

Only one change has occurred in the School Medical Staff. Nurse W. M. Monk resigned her appointment in September, and upon October 1st, 1921, Nurse M. G. Hunter was appointed in her place. Nurse Hunter is a fully trained Nurse with the C.M.B. Certificate and experience as a District Nurse.

In the Annual Report for 1920 (page 6), certain arrangements for the treatment of County children suffering from Dental and Eye Defects at the Colchester School Clinic were described. On March 21st, 1921, the Dental Clinic for County children was discontinued at the request of the County Authorities, County Eye Cases are still seen, and the number has been increased from two

to four per week, but no cases were sent by the County Authorities from November 12th to the end of the year.

Weekly Time Table of the School Clinics.

	Monday.	TUESDAY.	WEDN'SDAY	Thursday.	FRIDAY.	SATURDAY.
Morning		Dental			Dental	Visual Defects
AFTER- NOON	Eye & Ear Diseases	Minor Ailments		Visual Defects	Minor Ailments	

THE ELEMENTARY SCHOOLS AND SCHOOL HYGIENE.

There are 10 Council Schools and 11 Non-Provided Schools They are divided into 29 departments, as follows:—

			Council School Departments.	Non-Provided School Departments.
Mixed Departments Infants' Departments Mixed and Infants' Schools Girls' and Infants' Schools Central School Boys' School Girls' School Junior Mixed Department Special School (for Mentally Defective Comparison of the compa	•••	• • •	5 6 2 - 1 - 1 1	1 3 6 1 1 1 1
Totals			16	13

School Attendance.

			1	ncreas	se or
		1920.	1921.	Decr	ease.
Daily Average Number of Children	on	· ·			
the School Registers	• •	6, 206	6,178		28
Daily Average Attendance Percentage	• •	89.5	91.6	+	2.1

The sanitation and equipment of the schools, though old fashioned in some cases, may be considered generally satisfactory.

MEDICAL INSPECTION.

The arrangements have remained the same as in previous years. The three Routine Groups; Entrants; Intermediates, i.e., children aged 8 years; and Leavers, were examined; also Special Cases.

The number of children thus examined was 2,536. The numbers in each group making up this total are set out in tabular form in Table I. at the end of the Report, where the exact meaning of the term "Special Cases" is explained.

The Findings of Medical Inspection.

The number of individual children found with defects by the Medical Officer was 1157. This figure is exclusive of the large number of children found by the School Dentist to have defective teeth and also does not include children found to be verminous by the Nurses.

Statistical Table II. at the end gives the details of the defects found, and states whether the cases were referred for treatment or observation.

It should be noted that out of 1962 Routine children examined, 629 were referred for treatment and 121 for observation. In all 750 or 38 per cent. were found with defects, excluding cases of uncleanliness and defective teeth.

In Table II. certain diseases and conditions are grouped together under the headings "Other Diseases," "Other Conditions." A table is given below showing what these other diseases and conditions were.

Diseases grouped as "Other Diseases" or "Other Conditions"
in Table II

			010	I work	LL,		
SKIN	DISEASES.						
	Eczema		• •	21	Abscess	• •	3
	Alopecia	• •		4	Minor Injuries		16
	Urticaria	• •		10	Seborrhœa		2
	Boils	• •	• •	9	Sebaceous Cyst	• 3	1
	Septic Sore	es		3	Implantation Cyst	• •	1
	Xerodermi	a	• •	2	Herpes Zoster		4
	Burns	* •	• •	1 =	Sudamina	4 a	1
EYE	DISEASES	or Defec	TS—				
	Coloboma I	Iris	• •	1	Traumatic Cataract	• •	1
	Stye	• •	• •	1	Ptosis		1
Nosi	E AND THR	OAT DISE	ASES-				
	Tonsillitis	• •	• •	9	Rhinitis		10
	Cleft Palat	e		4	Enlarged Turbinates	• •	1

ALIMENTARY SYSTEM—	
Gastritis 14	Diarrheea and Vomiting 3
Worms 5	Diarrhea 1
Hernia 1	
Lung Diseases—	
Asthma 5	Fibrosis 1
Pneumonia 2	
Tuberculosis—	
Tubercular Peritonitis 2	
Nervous Diseases—	
Facial Paralysis 3	Night Terrors 1
Neuralgia 1	Pseudo - hypertrophic
Infantile Paralysis 1	Paralysis 1
DEFORMITIES—	
The result of Infantile	Genu Recurvatum 1
Paralysis 5	Malformed Hand 1
$egin{array}{c} ext{Spinal} & \left\{ egin{array}{c} ext{Lordosis} & 1 \ ext{Scoliosis} & 52 \ ext{Kyphosis} & 3 \end{array} ight.$	Intra-uterine Amputa-
Curvatures Kyphosis 3	tion Right Forearm 1
Flat Foot 142	Old Amputation Right Thigh 1
Genu Valgum 1	Hallux Valgus 1
Double Congenital Dis-	
location of Hip-joint 3	
Infectious Diseases—	
Whooping Cough; 5	Scarlet Fever 1
Mumps 3	Chicken-pox 2
Unclassified Defects and Diseas	SES—
Spina Bifida 1	Pyrexia 3
Splenectomy 1	Dysmenorrhœa 1
Oedema of Leg 1	Insect Sting 2
Synovitis 1	Myalgia 2
Incontinence of Urine 2	Congenital Syphilis 6

Uncleanliness.

The arrangements made in the autumn of 1920 were continued throughout 1921. They were quickly found to be yielding very satisfactory results, and it is probable that the improved average attendance is to some extent due to the small number of children excluded for verminous conditions during the year.

Pediculosis Capitis in the Elementary Schools.

School.	Number of Examinations.	Number of Cases of Pediculosis Capitis.	Per Cent.	Number of Children on the Books, Sept., 1921.
Barrack Street, Mixed :.	826	247	30	598
" Infants	917	231	25	334
St. John's Green, Mixed	795	144	18	446
" Infants	782	139	18	265
Canterbury Road, Mixed	590	71	12	537
,, Infants	1091	77	7	286
North Street, Mixed	1628	97	6	465
" Infants	491	42	8	152
East Ward, Mixed	444	76	17	239
" Infants	291	25	8	80
Hamilton Road, Central	497	46	9	300
" Jun. & Inft.	591	34	6	210
Priory Street, Mixed	307	105	34	185
,, Infants	214	52	28	74
Kendall Road, Girls	448	68	15	131
" Infants	456	60	13	153
Blue Coat	576	56	10	310
Myland	867	37	4	232
Old Heath	501	14	3	178
Stockwell Street, Infants	564	72	13	152
Magdalen Street, Boys	54	11	20	122
Lexden	351	28	8	135
Stanway All Saints	134	26	19	106
Greenstead	343	31	9_	99
St. James'	329	86	26	96
Parson's Heath	179	21	12	94
St. John's, Ipswich Road	210	10	5	82
St. Mary's, Infants	160	12	8	80
Special	22	5 .	23	27

The total number of cases examined was 14,65S, the children being examined weekly throughout each term. Children found with nits or vermin in their heads were continously re-examined

until they were clean. The number of re-examinations made was 13,752.

Where children were highly infested or no improvement could be obtained in spite of constant warnings, they were excluded from school with a view to prosecution should no improvement take place.

The number of children excluded for Pediculosis Capitis was 114.

Prosecutions were undertaken in four cases under the Attendance Bye-laws with the following results:—

In one case a fine of 5/- was inflicted.

In two cases Attendance Orders were made or in default a fine of 5/- in each case.

One case was dismissed.

It has been necessary for the Nurses to be somewhat lenient in their dealings with these cases, or the exclusions would have been three or four times as many, but it is intended each year to shorten the period before exclusion is resorted to in order that parents may learn that they cannot continue to send their children to school in a verminous condition with impunity.

The percentages in the table above must not be taken too strictly to indicate the standard of cleanliness or otherwise of all the children in a school, for several dirty families that are constantly found verminous would raise the percentage considerably, although the rest of the children in the school might be clean. This is well seen in the case of Magdalen Street Boys' School, where the percentage verminous of those examined was 20, yet only 11 boys out of 122 were found verminous, the fact being that the great number of the boys never needed examination.

It is the habitually dirty children who are excluded and whose parents are prosecuted. When this is taken into account, the results of prosecution do not appear to err upon the side of severity.

At the Routine Medical Inspections, 1,960 children were examined as to the cleanliness of their heads and bodies. These examinations are quite separate from the regular examinations by

the Health Nurses and are carried out when the Routine Medical Inspections are made. The Tables below show the findings at these inspections.

Cleanliness of the Heads and Bodies of 1,960 Children examined at Routine Inspections.

HEAD.	ENTRANTS	INTER- MEDIATES.	LEAVERS	TOTAL.	PER CENT.
Dirty	608	535	591	1734	88.5
	5	8	5	18	.9
	68	61	79	208	10.6

	BODY.		Entrants	INTER- MEDIATES.	LEAVERS.	Тотаь.	PER CENT.
Clean			646	567	647	1860	94.9
Dirty Vermin	ous	• • •	35 —	37	28	100	5.1
)

In the above Tables, the headings "Dirty" and "Verminous" are exclusive, that is to say, children included as "Verminous" are not also counted as "Dirty," whatever the state of the part under examination.

It must not be forgotten that parents are given two days' notice when a Medical Inspection is to take place and consequently a large number of children are cleaned up for the occasion.

Clothing and Footgear.

A careful record has been kept of the condition of the children's clothing and footgear at the time of Medical Inspection. It has been objected that such a record is useless, as many children are dressed in their best for the examination. Although this is so, yet such a record does show the number of children who have satisfactory clothing, even though this be their best.

Clothing may be sufficient yet unsatisfactory from a hygienic point of view. An attempt has been made to distinguish between these two in the Table below and it is of interest to note that the numbers of the children with insufficient and unsatisfactory clothing in the Entrants and Leavers Groups are much the same, in the Intermediate Group there is a definite increase in the amount of

unsatisfactory clothing. This is largely due to children at this age (8 years) being made to wear clothing that they have grown out of, or to adopt clothing (particularly cast-off stays) from older children that is either worn-out or otherwise unsatisfactory.

Condition of the Clothing of 1,960 Children examined at Routine

Medical Inspections.

STATE OF CLOTHING.		Entrants	INTER- MEDIATES.	Leavers.	Total.	PER CENT.
Sufficient Insufficient	• • •	635 46	545 59	635 40	1815 145	92.6 7.4
Satisfactory Unsatisfactory		633 48	5 3 4 70	630 45	1797 163	91·7 8·3

The record of the state of the children's footgear was kept in a similar way and the Table below shows the result of this inspection.

Condition of the Footgear of 1,960 Children examined at Routine Medical Inspections.

	STATE OF FOOTGEAR.		Entrants	INTER- MEDIATES.	LEAVERS.	Тотап.	PER CENT.
Good			627	542	626	1795	91.6
Poor	• • •		54	62	46	162	8.3
Bad		• • •			3	3	.1

Height and Weight.

The Table below gives the average Heights and Weights of the children examined at the Routine Medical Inspections.

Average Heights and Weights.

Ages.		Number Examined	Average Heights Inches.	AVERAGE WEIGHTS Pounds.
Boys—Age 4 years ,, 5 ,, ,, 6 ,, ,, 8 ,, ,, 12 ,,	•••	135 135 44 311 293	40.6 40.4 44.7 46.3 54	37.6 37.8 44.1 50.3 71.1
Girls—Age 4 years ,, 5 ,, ,, 6 ,, ,, 8 ,, ,, 12 ,,	• • •	97 146 49 284 304	39°3 41 43°8 47 52°2	35.6 38 42 48.5 67.2

INFECTIOUS DISEASE.

Incidence of Infectious Disease amongst Elementary School
Children in four-weekly periods.

Scarlet Fever.	Diphtheria.	Whooping Cough.	Measles.	Chicken Pox.	Mumps.
11	1		1	4	37
6		13		2	3
7		8			1
4	1	13	1	11	$\frac{1}{2}$
9		21		22	
11		20		32	
8	1	. 36		13	-
5	glicherstrop—	13		2	
10	1			2 2	
6	4	-	1	2	
8	6			1	1
6	2	14		7	
7	11	4			
98	27	142	3	98	44

Only one school department, Barrack Street Infants, had to be closed during the year for Infectious Disease. This school was closed from October 19th until November 1st inclusive, owing to the occurrence of several cases of severe diphtheria among the children. The department was only closed because the infection appeared definitely to be spread by school attendance. The result justified the action, as what seemed to be the beginning of an outbreak of a severe type of the disease never developed further.

FOLLOWING-UP.

			19 20	1921
Number of "following-up"	visits	 	590	916

The new arrangement of dividing the district into three areas and having one Health Nurse in each area is working well and satisfactorily.

MEDICAL TREATMENT.

MINOR AILMENTS CLINIC.		
	1920	1921
Number of times the Clinic was open	89	88
" attendances made by children with Defect	s	3,249
" verminous children		271
Total number of attendances	2,923	3,520
Number of individual children treated	673	647
Average number of children at each Clinic	33	40

The average number of children at each Clinic has increased. Last year the hope was expressed in this report that the number of children at the Minor Ailments Clinics would be reduced by the new system by which verminous children are now almost exclusively dealt with by the nurses in the schools. Such has not been the case, their place has at once been filled by an increased attendance of other cases. It should be noted, however, that the actual number of individual children attending the clinic is slightly less.

Special Ear and Eye Clinic.—In 1920 a Clinic was tentatively started for chronic ear and eye conditions, which could not receive adequate treatment at the crowded Minor Ailments Clinics. This practice was continued in 1921, and in June, put upon a definite basis, Monday afternoons being devoted to a recognised Ear and Eye Clinic. The first of these Clinics was held on June 27th, 1921, since that date they have been regularly continued.

Number of times the Special Ear and Eye C	Ulinic was	open	22
" attendances made by children			523
Average number of children at each Clinic	• • .		24
Number of individual children treated	• •	• •	62

The cases most common at this Clinic are Chronic Ear Discharge and Chronic Conjunctivitis. Defective Vision is not treated at this Clinic, but at the Eye Clinics on Thursday afternoons and Saturday mornings.

Certain of the defects and diseases found among the school children and treated, may now be considered in more detail. It appears simpler to consider them all under the heading "Medical Treatment," instead of first under "The Findings of Medical Inspection" and then later in the report under "Medical Treatment."

Tables II. and IV. should be referred to with reference to these cases.

Skin Diseases.

The number of cases of RINGWORM has fallen satisfactorily. The regular inspections of the children's heads in the schools by the Nurses, should do much towards finding cases early and so preventing the spread of this condition.

Number of Cases of Ringworm referred for Treatment.

Part	Affected.	1920.	1921.
Head Body		20	14. 23

Treatment of head cases has mostly been carried out by X Rays at the Essex County Hospital. The body cases were all treated at the Minor Ailments Clinic.

Cases of Scables and Impetigo were not so many as in 1920. In fact, getting the Nurses into the schools appears to have had a very beneficial effect upon all the cases of what may be called the dirt diseases.

Number of cases of Scabies and Impetigo referred for Treatment.

DISEASE.	1920.	1921.
Scabies	61	20
Impetigo	288	168

Eye Diseases and Defective Vision.

There is a noticeable increase in the number of cases of Conjunctivitis and Blepharitis. This is difficult to account for, but it may be due to the added importance given to these conditions by the institution of the Special Ear and Eye Disease Clinic. This Clinic has perhaps made parents realise the dangers of these conditions, with the result that they seek treatment for them at once. Yet this does not account for the large increase of these conditions found at Routine Inspections.

Cases of Defective Visio	on correct	ed by	Glasses.	
Simple Hypermetropia				20
" Hypermetropic Astigr	natism	• •		10
Compound Hypermetropic As	stigmatis	m	• •	32
Simple Myopia	• •			18
" Myopic Astigmatism				5
Compound Myopic Astigmati	ism		• •	8
Mixed Astigmatism			• •	11
Compound Myopic and Hype	rmetropic	e Astig	gmatism	2

Ear Disease.

A short Special Report by the Assistant School Medical Officer (Dr. P. S. Blaker), is given to show what very satisfactory results can be obtained in cases of chronic ear disease by simple antiseptic treatment *properly carried out*. Cases of otorrhæa in poor children are typically the cases that should be treated in School Clinics under the constant care of a Medical Officer.

OTORRHŒA CASES IN 1921.

"There were altogether 53 cases of otorrhœa under treatment during the past year.

Of this number, 26 were entirely cured and 27 are still under treatment.

Of the 26 treated and cured cases, the following points may be noted:—

- 1—Duration of the disease prior to the commencement of the treatment—
 - (a) Recent, (i.e., up to one month) ... 8 cases
 - (b) Months (i.e., one month up to one year) 6,
 - (c) One year and over 12 ,,

These latter 12 cases are accounted for as follows-

11 y	rears	• •	1	$3\frac{1}{2}$ years	1
7	,,	• •	1	2 ,,	3
4	,,		1	1 ,,	2
				Years (?)	3
				(definite period	l unknown)

- 2—Eleven of the 26 cases were suffering from enlarged tonsils and adenoids, or only the latter condition. These 11 patients were operated upon for these defects and within a few weeks of the operation the otorrhœa cleared up permanently.
- 3—In 7 of the 26 cases granulations were visible with the speculum and the discharge was offensive. No operation was performed on the ear.
- 4—In 10 cases the affection was Right sided.
 - 9 ,, ,, Left ,, 7 ,, Double.

5—Treatment. To begin with, all cases are treated with hydrogen peroxide (10 vol. per cent.) ear drops. The parent is instructed to put the drops in three or four times a day and to clean the ear thoroughly. This is continued till the external and middle ear is rendered clean and sweet. Then one or other of the following drops are prescribed:—

Hydrogen peroxide.

Spt Vini Rect, equal parts, or Acid Carbolic grs. $\bar{5}$ Spt Vini Rect oz. $\frac{1}{2}$ Aqua ad oz. 1

Great stress is laid upon telling the parent that the cure depends very much on keeping the ear clean.

According to the severity of the case, the patients are seen at the Clinic regularly once a week or once a fortnight and the ears examined with light and speculum. This thorough systematic examination regularly done is very important: first, because the progress of the case is watched, and secondly, the interest taken impresses the parents, and the heretofore neglectful parent who entirely left things to chance, now becomes keen and interested. In some cases the treatment lasted for months, but with patience, encouragement and persistence, the ears have become quite dry and healed and the hearing preserved to an astonishing degree.

In none of these cases was any syringing of the ears resorted to."

Defective Speech.

On May 2nd, 1921, the first class for stammering children was held in Colchester. In the previous year, one of the Elementary School Teachers had learnt in Manchester the Berquand Method of teaching stammerers to speak properly. Courses of six weeks were arranged and the classes were limited to ten children.

The children were examined and recommended for the Stammerers' Class by the School Medical Officer, who re-examined each class after five weeks' instruction.

Thirty-two boys and five girls attended the classes and the teacher finally classified the results as follows:—

RESULT.	Boys.	GIRLS.	Тота L.
Very Good Good Fairly Good	13 9 9	4	17 10 9

The ages of the children varied from 9 to 14 years. Nine years old is rather too young to begin, as it is important that the child should be able to read easily and at the same time to realise the importance of the instruction given.

The one case that did not do well was a boy who took no interest in the instruction and who did not try to improve. He played truant several times.

Although for want of further cases the classes ended on 2nd December, 1921, the importance of constant practice has not been overlooked. Revision classes are being held once a week, and in this way it is hoped that the great improvement gained in the majority of the children will become permanent.

Dental Disease.

The need for the treatment of dental defects is not yet sufficiently appreciated by parents. Too many offers of treatment for defects discovered by the dentist are still ignored, with the result that to keep up the supply of cases accepting treatment, a very large number of children have to be inspected.

In 1921, objection was made to the large number of dental inspections made when compared with the number of times the Dental Clinic was open. In 1920, the year then under consideration, 34 half-days were devoted to Dental Inspections and upon 54 half-days the dentist treated children at the Dental Clinic.

This year, 1921, certain changes were made for keeping the records of cases seen by the dentist, with a view to increasing the time available for inspection and so reducing the number of

inspections necessary. Some improvement has resulted, the figures for 1921 being:—

Number of half-days devoted to inspections ... 27 , devoted to treatment ... 56

But the true reason is that the children with defective teeth do not seek treatment.

Put as a general statement it may be said that 50 per cent. of the children inspected by the dentist have defective teeth and of these, only 33 per cent. seek treatment for such defects.

Tables IV., D, 1 and 2, give the statistics of Dental Inspection and Treatment in detail.

Deformities.

In the report for 1920, special attention was drawn to the large number of cases of spinal curvature, and early in 1921 special physical drill classes were organised.

The number of cases requiring special treatment was 109 and these may be divided into the three following groups:—

Class A .. 85 cases .. Moderate curves.

- ,, B ... 21 ,, ... Severe curves, i.e., when the maximum convexity is $l\frac{1}{2}$ inches and over out of the vertical.
- " C .. 3 " .. Structural curves, i.e., more or less permanent, with alteration to the bones of the spinal column.

The majority of the cases come under Class A, and these have been given special remedial exercises in their own schools by a teacher who has worked under the supervision of the Organiser of Physical Training (Mr. Lamonby).

Class B cases are dealt with by Mr. Lamonby himself, special apparatus having been provided at St. John's Green School for this purpose.

Children with structural curves (Class C) have been sent to the Orthopædic Hospital, London.

In the autumn a special enquiry was made into the results of this treatment in 72 cases that had been under treatment for six months or over. The cases were classified as follows:—

Class A 53; Class B 16; Class C 3

In Classes A and B (69 cases), 27 children showed marked improvement, 23 children showed moderate improvement, 17 cases showed no improvement and in 2 cases the curve was decidedly worse.

The three cases in Class C were all sent to the Royal National Orthopædic Hospital. One has a spinal support, another special boots, and all three are receiving special remedial exercises under Mr. Lamonby, as prescribed by the Orthopædic Hospital Surgeon.

Congenital Syphilis.

Thirteen cases of this condition have been under treatment during the year.

Dr. Blaker has contributed the following notes upon this most important disease. Particularly important to the School Doctor, as its manifestations may readily be mistaken for the results of some other infection, and delayed, or incorrect treatment cause permanent severe injury, with perhaps loss of sight, deafness or paralysis.

NOTES UPON 13 CASES OF CONGENITAL SYPHILIS.

Of these cases, nine were boys and four girls.

The ages varied from 7-14 years.

There were four children in two families—a brother and a sister in each—the ages being 8 and 9 and 8 and 13. The mother of the latter two died in an asylum from general paralysis.

The obstetric history in most of the cases was fairly typical.

The signs and symptoms were varied:—

1—Ocular defects:

4 children had marked Disseminated Choroiditis.

4 ,, ,, Interstitial Keratitis. One case of Keratitis had marked ulceration of the cornea which would not heal under local treatment. The boy then developed a diffuse tibial periostitis—the Wassermann reaction was positive and under antisyphilitic treatment the corneal ulcers rapidly healed.

I child had marked double Iritis.

2—Ear defects:

1 child was practically deaf.

3—Bones:

2 cases had a diffuse periostitis of the front of the tibiæ.

4—Teeth:

6 children had definite crescentic notching of the central upper incisor teeth. In some of the cases this was well marked and the teeth were typically peg shaped.

5--Nervous System:

1 boy had a marked left-sided partial paralysis, which occurred during an attack of diphtheria.

6-Wassermann reaction:

This was positive in all the cases.

OPEN-AIR EDUCATION.

PLAYGROUND CLASSES.—As in previous years, these are continued in practically all the schools during the summer months.

RESIDENTIAL OPEN-AIR SCHOOL.— The six places at the Ogilvie School of Recovery at Clacton have been kept filled. Fourteen children have spent periods varying from three to six months at the school during the year.

PHYSICAL TRAINING.

The value of the Organiser of Physical Training has been very apparent during the past year in connection with remedial exercises for children suffering from Spinal Curvature. Mr. Lamonby, in his Report, hardly lays sufficient stress upon the importance of a straight back to growing children. The child that grows up with a curved spine not only grows up with a crooked back, but permanent injury may result to internal organs that will only show itself when the spine has become fixed in its unnatural position.

Mr. Lamonby works in the closest co-operation with the School Medical Department, children requiring physical drill or remedial exercises are brought directly to his notice by the Department, and he, upon his side, constantly refers to the Clinics children that he suspects of deformity or some other defect.

Children undergoing remedial exercises are regularly seen by the Assistant School Medical Officer and their improvement or otherwise noted, and the necessary steps taken should the exercises not be producing the desired result.

REPORT OF THE ORGANISER OF PHYSICAL TRAINING.

"I have much pleasure in presenting my second Annual Report on the work of Physical Training in your schools. I have aimed at a daily period of physical training in the upper departments, or where organised games are played in an open space, three daily periods and forty minutes to one hour for games each week; in nearly every school this is carried out.

In the Infant Departments two daily periods are taken—in the morning the primary lesson, and the afternoon period is given up to work of a more recreational character.

Physical training has now taken a much fuller scope than was the case two years ago; besides the tables of exercises, games, folk dancing and general activity exercises now take a prominent part in the lesson. I have pointed out to the teachers that the exercises and games are dependant upon one another. I regret, however, that many of the athletic exercises and games are hampered for the want of proper footwear; the surfaces of many school playgrounds are very slippery, and children wearing boots are apt to slide about during some of the exercises. In some schools the children provide themselves with slippers, but these form only a small minority.

The games played are those which provide for vigorous movement, and the aim is all-round proficiency and not to specialise in any branch of athletic work; playground games are played which lead up to the more advanced games. Interclass and inter-school matches have been arranged: these are particularly important, especially the inter-class matches, as they improve the physical capacity of the school and promote a healthy spirit of playing the game for the əgam's sake.

The team system has proved successful, and I feel sure that the children learn many valuable lessons and habits which will serve them in after life through this spirit of leadership and playing for one's side and not for self. This team spirit has proved popular with the girls, and the girls now take quite an active part in games.

This year, for the first time, a Net Ball competition was run in connection with the Girls' Schools, and was very popular.

In connection with the games, I am careful to watch that the classes are not neglected for the sake of the school teams.

Classes and Demonstrations were held during the year: these were popular with the teaching staff and the attendance was very gratifying. One special feature of the classes that I emphasised was the demonstration of many playground games and general activity movements and athletic exercises.

When I first took up my appointment in Colchester I was surprised at the number of teachers, in the larger schools with Central Halls, who, during the winter months, took all their physical training indoors; now I am glad to say that all work is taken out of doors, except in exceptionally bad weather.

Three more schools have been provided with playing fields during the year, namely, Stanway All Saints, Lexden, and St. John's, Ipswich Road.

During the summer the Swimming was very popular, but unfortunately the numbers are limited of those able to attend for instruction, owing to the situation of the Bathing Place. This year increased facilities were granted by the Swimming Club for girls' classes; this resulted in more girls learning to swim than formerly.

In some schools I have tried to get teachers to specialise and become responsible for more classes than their own. With the co-operation of Head Teachers I hope to further this during the year. I feel sure if this is carried out it will result in increased enjoyment and physical efficiency of the children.

During the year I commenced corrective exercises for children suffering from slight postural defects of the spine. These children were formed into special classes at the schools and placed under the care of an enthusiastic teacher. I was responsible for drawing up the table of exercises and instructed the teachers and supervised the work.

I particularly asked their own class teachers to watch the children carefully to see that they did not assume bad positions during their work in school, particularly when standing, and to see that they took a prominent part in games and activity exercises generally; sometimes these children suffer from the want of exercises of this nature. In some cases I found that they never played active games with other children during the recreational period, but were generally to be found standing about. I feel sure that the more they play the stronger they

will become and throw off their defects. The results of this work will be embodied in the report of the School Medical Officer, with whom I work in close association. The more severe cases are dealt with by me at a special centre at St. John's Green's School three afternoons per week.

HAROLD LAMONBY,

Organiser of Physical Training."

PROVISION OF MEALS.

Throughout the year ill-nourished children have been given milk in the schools, both upon the recommendation of the Head Teachers and through the Minor Ailments Clinic. Similarly, cod liver oil and cod liver oil and malt have been supplied at the Clinic at a cheap rate. In the case of necessitous children whose parents could not afford even this small expense, the oil has been provided and given to children at the schools upon the Medical Officer's recommendation.

In the autumn it appeared likely that meals would have to be provided for a large number of children through the winter, and a scheme of feeding centres was evolved and Head Teachers and the Attendance Officer asked to report any children requiring food. Although the scheme was complete and ready to be adopted when occasion arose, as time went on it was found that the number of children to be dealt with was smaller than was anticipated, and that the children could be satisfactorily fed under the Mayor's Poor Children's Fund arrangements.

This Fund fed some 50 children during the year. The chief food supplied was milk, but other foods were also available.

CO-OPERATION OF PARENTS.

Number of Parents present at Routine Medical Inspections.

ENTRANTS.	Intermediates.	Leavers.		Тотац.
566	448	386		1400
Number of	Routine Inspect	ions 17	20. 72	1921. 1962
,,	Parents present	12	41	1400
Percentage	of Parents presen	ut	70 %	71.3 %

The number of parents present has therefore slightly improved. Parents are taking a much keener interest in Medical Inspection. The resentment with which it was viewed in the first three or four years of its existence has almost completely died out, and it is not uncommon to find parents apologising for their absence from an inspection and expressing regret at their inability to be present. Their attendance with their children at the School Clinics has also improved. They attend to hear for themselves exactly what the doctor advises or to consult him about some defect that they have discovered.

CO-OPERATION OF TEACHERS, SCHOOL ATTENDANCE OFFICER AND VOLUNTARY BODIES.

Little need be added to what was said last year. The teachers and School Attendance Officer work hand in glove with the Medical Inspection Department for the benefit of the children. If teachers and Attendance Officer only gave grudging assistance, constant difficulty and delay would result; instead, their help is always willingly given and the gain in the way of smooth and steady work immense.

School children continue to be sent to the ESSEX COUNTY HOSPITAL, which is situate in Colchester, for the X-Ray treatment of Ringworm and for the removal of Tonsils and Adenoids at agreed charges. Other cases are treated as ordinary Hospital patients. The parents of children suffering from Congenital Syphilis are urged to take them to the Venereal Diseases Clinic at the Hospital for blood tests and treatment.

Two children were sent during 1921 to the Central London Eye Hospital for treatment of severe eye defects, and twelve children with Deformities were sent to the Royal National Orthopædic Hospital for operation or for special splints or boots. These children were treated free of cost, the travelling expenses of necessitous cases being paid from the Mayor's Poor Children's Fund.

THE MAYOR'S POOR CHILDREN'S FUND continues to prove most valuable in helping children. Not only does it provide milk and meals at school for necessitous cases, but during the past year has also paid travelling expenses of children sent away to Hospital, provided surgical appliances and, in some cases, clothing and boots.

The financial year of the fund ends on April 30th, and the expenditure for the year previous to this date in 1921 was—

	£	S.	d.
Upon Milk and Meals	34	15	5
" Clothing and Boots	16	11	6
,, Travelling to Hospitals, Surgical	1.0	1.0	0
Appliances, etc	13	16	2
" Printing	2	5	0
	£67	8	1

The National Society for the Prevention of Cruelty to Children.—The Inspector of this Society has been most helpful in seeking out and remonstrating with the parents of children with defects who would get nothing done, or who brought their children to the clinic and then failed to come when a second visit was necessary for further treatment. It has been found difficult in past years to deal successfully with cases where the parents were careless and neglectful. Such parents would promise to bring a child to the Clinic and then fail to appear, or else after coming once or twice would cease their attendance in spite of visits from the nurses. Now, if after three visits from the nurses no proper steps are taken by the parents, the N.S.P.C.C. Inspector is given full details of the case and his assistance asked. This was done in 32 cases in 1921, and in every case the Inspector succeeded in getting the child satisfactorily treated.

EMPLOYMENT OF CHILDREN AND YOUNG PERSONS.

During the year 116 children have, under the new Bye-Laws, been medically examined upon application for Employment Certificates. It was not found necessary to refuse a certificate in any case, but the Head Master of the School attended by one boy, was asked to report if he appeared to be suffering any harm, either mental or physical, from his employment.

TABLE I.

Number of Children Inspected

1st January, 1921, to 31st December, 1921.

		A.—	ROUTINE	MEDIC	AL	INSI	PECT	ION	ſ.	
				EN	ΓR	ANTS.				
Age		3	4	5		6			other lges.	Total.
Boys	* * *		143	139		4.4			30	3 56
Girls		Silvadoria de la companya del companya de la companya del companya de la companya	102	150		51			22	32 5
Totals			245	289	Ì	95			52	681
		INTER- MEDIATE GROUP.	I	LEAVER	S.		Oth	On		GRAND
Age	•••	8	12	13		14	Age		Total.	TOTAL.
Boys		318	300	1		28	1		330	1004
Girls	• • •	288	308	4		21	12	2	345	958
Totals	•••	606	608	5		49	18	3	675	1962
			B.—SPEC	IAL IN	SP	ECTIO	NS.		9	
ş			\$	Special Ca	asės	· *	(i.e	e. ni	Examina umber of e-Examin	children
Boys Girls			}	724			}		937	
Totals		•••		724					937	
	OFI	Number of FICER, WHI	ETHER A	S ROUT	NI	EOR				MEDICAL S (no child

No. of Individual Children Inspected 2,536

t" Special Cases" are those children specifically referred to the Medical Officer and not due for routine medical inspection under the Code at the time when specially referred. Such children may or may not be of Code-group age and may be referred to the Medical Officer at the school or the clinic by the Committee, Medical Officers, School Nurses, Teachers, Attendance Officers, Parents or otherwise.

TABLE II

Return of Defects found in the course of Medical Inspection in 1921.

This table is, except as regards the final line, a record of defects and not of individual children who are defective. Cases of Squint are not recorded also under the heading of "Defective Vision," and cases of defect of Nose and Throat are included in one only of the sub-headings.

	Rou Inspec	ctions	Spec	ials.
DEFECT OR DISEASE.	Number referred for Treatment.	No. requiring to be kept under obser- vation, but not referred for Treatm't	Number referred for Treatment.	No. requiring to be carkept under obser- wation, but not re- ferred for Treatm't
Malnutrition	35	1	66	
Uncleanliness—Head	226			
Body	100		$\frac{-}{12}$	
D - 3			$\frac{12}{23}$	
Skin Scabies	6		14	
Impetigo	15	*	153	
Other Diseases (Non-Tubercular)	9	2	66	
, Blepharitis	54		18	,
Conjunctivitis	69		61	
Keratitis			1	
Eye Corneal Ulcer		_	2	
Corneal Opacities	1		1	1
Defective Vision	70 10		$\begin{array}{c} 41 \\ 13 \end{array}$	1.
Squint	10	$\frac{-}{2}$	3	1
Defective Hearing	2		1	1
Ear Otitis Media	11	1	35	
Other Ear Diseases	- Open-man			
Name (Enlarged Tonsils	1	1		
Adenoids	6	8	19	2
Thurst / Emarged Tonsus and Adenoids	71	63	27	6
Cotner Conditions	7	3	14	
Enlarged Cervical Glands (Non-Tubercular)	2		12	1
Defective Speech	_		37	
Teeth—Dental Diseases (see Table IV D) Heart Disease—Organic	$\frac{-}{2}$	${12}$		•)
neart and) Euletiqual	1	3		$\frac{2}{1}$
Circulation Anæmia	1		2	1
(Rronchitis	20	-	36	
Lungs Other Non-Tubercular Diseases.	6	2	4	1
Pulmonary—Definite			1	
Suspected		-		
Non-Pulmonary—Glands		-	1	
Tuber- J Spine	_	2		1
culosis Hip	MARKET AND ASSESSED FOR		_	No. or
Other Bones and Joints Skin		_	1	
Other Forms	1		7	
(Enilancy		1	$\frac{1}{2}$	
Nervous Chorea			$\frac{2}{2}$	-
System Other Conditions	_	2	3	2
Dofon (Rickets	3	9		1
Spinal Curvature	69	1.	3	
Other Forms	144	7	5	2
Other Defects and Diseases	11		50	2

NUMBER of individual children HAVING DEFECTS WHICH REQUIRED TREATMENT OR TO BE KEPT UNDER OBSERVATION (excluding cases of Uncleanliness only) 1,157

TABLE III.

Numerical Return of all Exceptional Children in the Area in 1921.

			Boys	Girls.	TOTAL.
within Eleme	BLIND ing partially blind) the meaning of the entary Education and Deaf Children) Act, 1893.	Attending Public Elementary Schools AttendingCertified Schools for the Blind Not at School		9	1
(include within Eleme	EAF AND DUMB ding partially deaf) the meaning of the entary Education and Deaf Children) Act, 1893.	Attending Public Elementary Schools Attending Certified Schools for the Deaf Not at School	2		4.
ALLY HENT.	Feeble Minded.	Attending Public Elementary Schools Attending Certified Schools for Mentally Defective Children Notified to Local Control Authority by Local Education Authority during year Not at School	16	9	25
MENTALLY DEFICIENT	Imbeciles.	At School Not at School Notified to Local Control Authority	_		Section Control Con
	Idiots.	Notified to Local Control Authority Not at School			
	EPILEPTICS.	Attending Public Elementary Schools Attending Certified Sch'ls for Epileptics In Institutions other than Certified Sch'ls Not at School		1 -1	$\begin{bmatrix} 3\\1\\-\\2 \end{bmatrix}$
	Pulmonary Tuberculosis.	Attending Public Elementary Schools Attending Certified Schools for Physically Defective Children In Institutions other than Certified Sch'ls Not at School		2	3
S.Y.	Crippling due to Tuberculosis.	Attending Public Elementary Schools Attending Certified Schools for Physically Defective Children In Institutions other than Certified Sch'ls Not at School	2		1 - 2 4
PHYSICALLY DEFECTIVE.	Crippling due to causes other than Tuberculosis, i.e., Paralysis, Rickets, Traumatism.	Attending Public Elementary Schools Attending Certified Schools for Physically Defective Children In Institutions other than Certified Schools Not at School	-	16	
	Other Physical Defectives, e.g., delicate & other children suitable for admission to Open-air Sch'ls; children suffering from severe heart disease.	Attending Public Elementary Schools Attending Open-Air Schools Attending Certified Schools for Physically Defective Children, other than Open-Air Schools Not at School	33 3	26 3	59 6 —
Durr	OR BACKWARD *	Retarded 2 years	155 53	106	261 86

TABLE IV.

Treatment of Defects of Children during 1921.

A.—TREATMENT OF MINOR AILMENTS.

				Number of	Children.	
′					Treated.	
Disease or Defe	ect.		Referred for Treatment.	Under Local Education Authority's Scheme.	Otherwise.	Total.
Skin—						
Ringworm—Head			14	15	1	16
Ringworm—Body	• • •		23	25		25
Scabies			20	1.8	2	20
Impetigo			168	162		162
Minor Injuries			16	16	_	16
Other Skin Disease	• • •		59	50	5	55
Ear Disease	• • •		49	49	4	53
Eye Disease (external a	and ot	her)	210	178	5	183
Miscellaneous	• • •		484	380	96	476

B.—TREATMENT OF VISUAL DEFECT.

			N	lumber	of Chile	lren.			
Referred for Refraction.	Under Local Educa- tion Authority's Scheme, Clinic or Hospital.	By Private Practition- ap er or Hospital.	Otherwise.	Total.	For whom Glasses were Prescribed.	For whom Glasses were Provided.	Recommended for Treatment other than by Glasses.	Received other forms of Treatment.	For whom no Treatment was considered necessary.
134	150			150	137	139	1	1	12

C.—TREATMENT OF DEFECTS OF NOSE AND THROAT.

Number of Children. Received Operative Treatment. Received other Referred for Under Local By Private Practitioner or Treatment. iorms of Treat-Education Authment. Total. ority's Scheme, Clinic or Hospital Hospital. 145 101 7 11 112

TABLE IV—continued.

D.—TREATMENT OF DENTAL DEFECTS.

1. Number of Children dealt with.

				1	1ge G	roups					" G	
	5	6	7	8	9	10	11	12	13	14	"Spec- ials."	Total.
(a) Inspected by Dentist	4	384	485	422	348	351	330	297	239	30	41	2 931
(b) Referred for Treatment (c) Actually					13	888					41	1429
treated (d) Re-treated* (result of					7	'69					41	810
periodical examin'n)					2	234					-	234

^{*} Cases under this head are also included under (c) above.

2. Particulars of Time given and of Operations undertaken.

Half-days to Inspection.	f Half-days to Treatment.	f Atten- by child- Clinic.	No. or manen	f Per- t Teeth.	No. of porary	f Tem- Teeth.	Fillings.	dminis- f General s included nd (6).		other tions.
No. of Half- devoted to Insp	No. of Half- devoted to Trea	Total No. of dances made b	Ex- tract- ed.	Filled.	Ex- tract- ed.	Filled.	Total No. of F	No. of Adm trations of Ga Anæsthetics ir in (4) and	Per- man- ent Teeth.	Tem- porary Teeth.
(1)	(2)	(3)	(4)	(5)	. (6)	(7)	(8)	(9)	(10)	(11)
27	56	589	96	410	824	19	429	Nil.	Nil.	Nil.

TABLE V.

Summary of Treatment of Defects as shown in Table IV (A, B, C and D).

		Number of	Children.		
			Treated.		
DISEASE OR DEFECT.	Referred for Treatment.	Under Local Education Anthority's Scheme.	Otherwise.	TOTAL.	
Minor Ailments	1043	893	113	1006	
Visual Defects	134	150		150	
Defects of nose and throat	145	108	11	119	
Dental Defects	1429	810		810	
Other Defects	_				
TOTAL	2751	1961	124	2085	

TABLE VI.

Summary relating to Children Medically Inspected at the Routine Inspections during the year 1921.

	inspections				ed at the r		1962*
2) Th	e number of chi	ldren in (1) suffering	r from—			
. /	Malnutrition		-,	• • •			36
•	Skin Disease						34
	Defective Visi	ion (inclu	ding Squir	nt)			80
	Eye Disease		•••		•••		126
	Defective Hea	ring			•••		2
	Ear Disease	•••					12
	Nose and Thr	oat Disea	se				160
	Enlarged Cerv	rical Glan	ds (non-tu	bercular)			2
	Defective Spe				• • •		
	Dental Diseas						1388
	Heart Disease	-Organi	•			• • •	14
		Function					4
	Anæmia						1
	Lung Disease	(non-tube	ercular)				28
	Tuberculosis-						
		,,	(suspect	ed)	* * *		
		Non-puln	nonary			• • •	3
	Disease of the	e Nervous	System				3
	Deformities	* * *	• • •				233
	Other defects	and disea	ases			* * *	12
3) Th	e number of ch · uncleanliness be kept under	or defecti	ive clothing	g or footgea	ir) who requ	uire to	121
4) The	e number of cleoning und		• •			itment	549
5) The	e number of ch						477

^{*}Not including Dental Inspections.

W. F. CORFIELD, M.D., D.P.H.,

Medical Officer of Health and School Medical Officer.

Trinity Street,
Colchester.

⁺ The result of Dental Inspections.